

FACT SHEET

# Termidor® 100 SC Insecticide

## The gold standard in ant and general insect control



Termidor® 100SC Insecticide provides professional pest controllers superior levels of control across a broad range of external pests including ants, cockroaches, spiders and flies. Termidor has been designed using non-repellent technology, providing significant advantages over other inferior insecticides including reduced insecticide use, unsurpassed efficacy and superior residual characteristics.

Termidor's unique Transfer Effect™ ensures the powerful active ingredient can be passed effectively throughout the pest population ensuring pests continue to interact with the insecticide without detection or disruption in behavior – leading to unsurpassed levels of efficacy, long-term residual control and reduced call backs.

### Application

The unique mode of action in Termidor allows for targeted populations and minimal insecticide use. Mix Termidor at a rate of 6mL per litre for all target pest species. Termidor may be applied as a residual or spot treatment as outlined on the Direction for Use Table.

### Features

### Benefits

Advanced non-repellent technology

Termidor is developed with advanced non-repellent technology. The superior technology results in reduced application use pattern, providing cost savings through reduced labour and insecticide inputs, environmental benefits through lower pesticide exposure and superior long-term results across a broad range of pests.

Broad spectrum activity

Termidor controls a wide range of pests including, ants, cockroaches, earwigs, houseflies, web-spinning spiders, house crickets, daddy-long-legs spiders, millipedes, slaters and termites (subterranean, damp wood and dry wood termites).

Treatment flexibility

The non-repellent nature of Termidor provides professional pest controllers with unique treatment flexibility. Termidor can be used in conjunction with bait treatments and the unique use pattern ensures treatments can be targeted only to the areas of activity.

Unique Transfer Effect™

Termidor's unique Transfer Effect™ ensures the powerful active ingredient is past throughout pest populations ensuring total colony or population control.

# Termidor® 100SC

## Insecticide

SITUATION	PEST	RATE	CRITICAL COMMENTS
External areas and surrounds of domestic, commercial, public and industrial buildings and structures.	Nuisance Ants	6mL in 1L of water	Treat surfaces 300 mm up and 300 mm out from where the building or structure touches the ground. Apply at the rate of 1 litre of spray mix per 25 lineal metres. Pay particular attention to potential entry points, such as weep holes, cracks and crevices. Also apply to ant trails and where ants are active away from the nest. Structures may include retaining walls, fences, garden borders, sheds etc.
Spot application to nests in domestic situations.	Nesting ants		Treat the nest entrance or mound, and where ants are active away from the nest. Apply at the rate 1 litre of spray mix per 16 m <sup>2</sup> , or 60 ml per m <sup>2</sup> .
External areas and surrounds of domestic, commercial, public and industrial buildings and structures	Domestic Cockroaches	6mL in 1L of water	Treat external surfaces 300 mm up and 300 mm out from where the building or structure touches the ground. Apply at the rate of 1 litre spray mix per 25 lineal metres. Pay particular attention to potential entry points, such as weep holes, cracks and crevices.  Also apply to where pest(s) may be active away from the building including retaining walls, fences, garden beds, sheds etc. Apply at the rate of 1 litre of spray mix per 16 m <sup>2</sup> .
	Web-spinning spiders		Spray spiders, their webbing and areas where spiders may hide at the rate of 1L of prepared suspension per 16m <sup>2</sup> .
	Daddy-long-legs spiders, Earwigs, House Crickets, Millipedes, Slaters		Apply directly onto spiders, millipedes, house crickets, earwigs and slaters as a spot treatment.
External covered areas of domestic, commercial, public and industrial buildings and structures.	Houseflies	6mL in 1L of water	Apply to external surfaces where flies are likely to rest at the rate of 1 litre of spray mix per 16 m <sup>2</sup> .
Pre-construction, Post-construction, Reticulation systems, protection of poles and fence posts, nests in poles and trees, wall cavity treatment	Termites	600 mL in 100 litres water (0.06% a.i. mix)	Application by LICENSED PEST CONTROL OPERATORS: Contact BASF for specific application advice.

## Packaging

Available in 1L bottles.

For more information on Termidor Residual, visit [crop-solutions.basf.co.nz](http://crop-solutions.basf.co.nz) or contact your local BASF representative on **0800 334 877**

### ALWAYS READ AND FOLLOW LABEL DIRECTIONS BEFORE USING ANY PRODUCT IN THIS FACT SHEET.

This fact sheet is intended as general advice. Disclaimer: The information submitted in this publication is based on current BASF knowledge and experience. In view of the many factors that may affect its application, this data does not relieve the user from carrying out their own tests. The data does not imply assurance of certain properties or of suitability for a specific purpose. It is the responsibility of the user to ensure that any proprietary rights and existing laws and legislation are observed.