

**WARNING**

KEEP OUT OF REACH OF CHILDREN  
READ LABEL BEFORE USE

**Revystar<sup>®</sup>**  
**Fungicide**

Contains 100 g/L mefentrifluconazole and 50 g/L fluxapyroxad  
in the form of an emulsifiable concentrate.

**GROUP 3 | 7 FUNGICIDE**

Systemic fungicide for the control of diseases in  
wheat and barley

Contents: 10 L

Registered to and distributed by:

**BASF New Zealand Limited**

NZBN 9429032151299

P.O. Box 407, Auckland 1140

Phone: 0800 932 273

[crop-solutions.basf.co.nz](http://crop-solutions.basf.co.nz)

### Hazard Classification

6.1D, 6.3A, 6.4A, 6.5B, 6.9B, 9.1B, 9.3C



### WARNING

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. May cause liver damage through prolonged or repeated exposure to high doses. Toxic to aquatic life with long lasting effects. Harmful to terrestrial vertebrates.

### PRECAUTIONS

**HANDLING:** Read label before use. DO NOT handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Apply with well-maintained and accurately calibrated equipment.

**STORAGE:** Keep out of reach of children. Store in original container, tightly closed, in a locked, dry, cool, well-ventilated place away from food and animal feeds.

**TRANSPORT:** DO NOT carry this product on a passenger service vehicle.

**SPILLAGE:** Collect spillage. Wear overalls, gloves, footwear and goggles while collecting spillage. Prevent further spillage and product from entering waterways. Absorb spill with an inert material (e.g. vermiculite) and place in a labelled, sealable container for disposal. Wash affected area with water and detergent. Absorb and collect washings and place in the same sealable container as the spilled material. Dispose of the waste safely in a suitable landfill.

**PERSONAL PROTECTION:** Wear suitable protective clothing (coveralls), suitable protective gloves, boots and face protection (face shield) when handling the product, preparing spray and applying spray.

**GENERAL SAFETY AND HYGIENE MEASURES:** DO NOT breathe vapour or spray mist. DO NOT eat, drink or smoke when using this product. Wash hands and exposed skin thoroughly with soap and water after handling. Contaminated work clothing should not be allowed out of the workplace. Wash protective clothing after use. Store work clothing separately.

**ENVIRONMENTAL PROTECTION:** Take all reasonable steps to ensure that the product does not cause any significant adverse effects to the environment beyond the application area. DO NOT apply directly into or onto water. DO NOT apply the product when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site. Apply with ground-based equipment and minimum medium droplets, as defined by the American Society of Agricultural and Biological Engineers ASABE Standard (S572) or the British Crop Production Council guideline. For aerial application, use minimum coarse droplets, as defined by the American Society of Agricultural and Biological Engineers ASABE Standard (S572) or the British Crop Production Council guideline. DO NOT allow drift over surface water such as ponds, waterways or drains. DO NOT contaminate surface or ground water when disposing of equipment wash waters. DO NOT contaminate water with product or its container.

**DISPOSAL:** Container: DO NOT reuse the container for any other purpose. Triple rinse empty container and add rinsate to the spray tank. Recycle through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Product: Dispose of this product only by using according to the label or at an approved landfill or at an approved facility. DO NOT burn product.

**NOTE:** Storage and application must be as described in the current version of the New Zealand Standard for the Management of Agrichemicals NZS8409.

### FIRST AID

If medical advice is needed, have the product container or label at hand. Contact the National Poisons Centre 0800 POISONS (0800 764 766) or a doctor if you feel unwell. IF SWALLOWED: DO NOT induce vomiting. Rinse mouth. IF ON SKIN: Remove contaminated clothing and wash skin with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs get medical advice/attention. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

## CONDITIONS OF SUPPLY

Read conditions of supply before buying and using. If these conditions are unacceptable, return at once unopened. All goods supplied by BASF New Zealand Limited are of a high grade and conform to the chemical description of the label. However, to the extent permitted by law, neither BASF nor any of its Distributors accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with the supply of those goods including without limitation their storage, application, handling or use. BASF New Zealand Limited nor any of its Distributors, make no warranties of any kind, express or implied, with respect to fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter with respect to these goods. When you are a consumer as defined in the Consumer Guarantees Act 1993 (the "Act") these conditions will be subject to the provisions of the Act. However, the Act will not apply to goods supplied to you for business purposes.

Registered pursuant to the ACVM Act 1997, No. P9654

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to the HSNO Act 1996, Code HSR101415

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls

Batch No:

Date of Manufacture:

Registered to and distributed by:

BASF New Zealand Limited

NZBN 9429032151299

P.O. Box 407, Auckland 1140

Phone: 0800 932 273

[crop-solutions.basf.co.nz](http://crop-solutions.basf.co.nz)

**EMERGENCY PHONELINK**

24 Hour Advice in an Emergency Only

**0800 944 955**



**IIIIII BAR CODE IIIIII**

## GENERAL INFORMATION

Revystar Fungicide is a broad spectrum contact and systemic fungicide with protectant and eradicant activity. It is taken up via the stem and foliage and is translocated upwards and outwards to provide some protection of new growth. Thorough coverage of the crop is necessary for best results. Revystar Fungicide has curative activity against early stages of infection, but optimum results are obtained from application prior to the onset of infection.

## RESISTANCE MANAGEMENT

Revystar Fungicide contains mefentrifluconazole, a triazole fungicide from the DMI (demethylation inhibitors) mode of action group **GROUP 3 FUNGICIDE**, and fluxapyroxad, a carboxamide fungicide from the SDHI (succinate dehydrogenase inhibitors) mode of action group **GROUP 7 FUNGICIDE**. Resistance to these fungicides could develop from excessive use. To minimize this risk, use strictly in accordance with label instructions and resistance management strategies that exist for any fungus listed on the label. Frequency of application must be strictly adhered to in accordance with the Directions for Use. Revystar Fungicide should be used in a programme that incorporates fungicides with different modes of action to that of Group 3 and Group 7 fungicides. Apply no more than two Revystar Fungicide sprays per season. Refer to the NZCPR web site < [www.resistance.nzpps.org](http://www.resistance.nzpps.org) > for more detailed information.

## DIRECTIONS FOR USE

**It is an offence to use this product on animals.**

Crop	Disease	Rate	Remarks
Apply in a minimum of 150 litres of water/ha by ground or 60 litres/ha by air.			
Wheat	Leaf rust Powdery mildew Speckled leaf blotch Stripe rust	1.50 litres/ha	Apply as a preventative spray on susceptible cultivars and when conditions favour disease. Otherwise, apply at the first appearance of disease. Continued disease pressure or reinfection may require a further treatment 3 to 5 weeks later. Apply up to the end of flowering (Zadok GS 69).
Barley	Brown rust Ramularia leaf and awn spot Scald		

### Mixing

Add the required amount directly into the partly filled spray tank with agitation operating. Complete filling and maintain agitation until spraying is complete. DO NOT leave spray mix standing overnight in the spray tank.

### Compatibility

Revystar Fungicide is compatible with most commonly used fungicides (e.g. Comet<sup>®</sup>), insecticides, herbicides (e.g. Granstar<sup>®</sup>, Starane<sup>®</sup>Xtra, or Duplosan<sup>®</sup>KV) and growth regulators (e.g. Cycocel<sup>®</sup>, Moddus<sup>®</sup>, or Terpal<sup>®</sup>). All tank mixes should be used immediately after preparation.

### Rainfall

Revystar Fungicide is rain fast once dried on the crop.

### **Withholding Periods**

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

Cereal grain and straw/stubble: DO NOT harvest or graze within 42 days of last application.

Cereal green feed/silage: allow 28 days between last application and introduction of stock for grazing or cutting for silage.

® Registered Trademark of BASF

© Copyright 2020, BASF New Zealand Limited

Registered to and distributed by:

BASF New Zealand Limited

NZBN 9429032151299

P.O. Box 407, Auckland 1140

Phone: 0800 932 273

[crop-solutions.basf.co.nz](http://crop-solutions.basf.co.nz)