

Safety data sheet

BASF Safety Data Sheet
Date / Revised: 13.04.2021
Product: **STOMP® XTRA**

(ID no. 30140999/SDS_CPA_NZ/EN; Version 6.0)

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

STOMP® XTRA

Relevant identified uses of the substance or mixture and uses advised against

Use: crop protection product, herbicide.

Details of the supplier of the safety data sheet

Company:
BASF New Zealand Ltd.
5E City Works Depot
77 Cook Street
Auckland Central, Auckland 1010
NEW ZEALAND
Telephone: +64 9 255-4300

Emergency telephone number

National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

2. Hazards Identification

Hazard Classification:

Specific target organ toxicity (repeated exposure): Cat. 2
Hazardous to the aquatic environment - acute: Cat. 1
Hazardous to the aquatic environment - chronic: Cat. 1
Hazardous to soil organisms

Pictograms:



Signal Word:
WARNING

BASF Safety Data Sheet
Date / Revised: 13.04.2021
Product: **STOMP® XTRA**

(ID no. 30140999/SDS_CPA_NZ/EN; Version 6.0)

Hazard Statement:

H373 May cause damage to organs through repeated oral exposure at high doses.
H400 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P102 Keep out of reach of children.
P103 Read label before use.
P260 Do not breathe mist/vapours/spray
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/clothing/eye protection.

Precautionary Statements (Response):

P314 Get medical advice/attention if you feel unwell.
P391 Collect spillage.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification, but which may contribute to the overall hazards of the substance or mixture.

To avoid risks to human health and the environment, comply with the instructions for use.

Selective herbicide - very toxic to some plant species (certain plants may be killed or damaged from uptake of this product).

May produce an allergic reaction. Contains: 2-METHYL-2H-ISOTHIAZOL-3-ONE

3. Composition/Information on Ingredients

Mixtures

Chemical nature

Crop protection product, herbicide, capsule suspension (CS).

Hazardous ingredients

pendimethalin
Content (W/W): 38.7 %
CAS Number: 40487-42-1

Acute Tox.: Cat. 5 (oral)
Skin Sens.: Cat. 1B
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 100
M-factor chronic: 10

BASF Safety Data Sheet
Date / Revised: 13.04.2021
Product: **STOMP® XTRA**

(ID no. 30140999/SDS_CPA_NZ/EN; Version 6.0)

2-methyl-2H-isothiazol-3-one
Content (W/W): < 0.05 %
CAS Number: 2682-20-4

Acute Tox.: Cat. 2 (Inhalation - dust)
Acute Tox.: Cat. 3 (oral)
Acute Tox.: Cat. 3 (dermal)
Skin Corr./Irrit.: Cat. 1B
Eye Dam./Irrit.: Cat. 1
Skin Sens.: Cat. 1A
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 10
M-factor chronic: 1

Sulfuric acid magnesium salt (1:1), heptahydrate
Content (W/W): < 20 %
CAS Number: 10034-99-8

4. First-Aid Measures

4.1 Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water. If skin irritation or rash occurs get medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray, foam, dry powder, carbon dioxide.

5.2. Special hazards arising from the substance or mixture

carbon monoxide, carbon dioxide, hydrogen cyanide, hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds, cyanides, metal oxides

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with local regulations. Collect waste in suitable containers, which can be labelled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4 Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

7.1 Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2 Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3 Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Components with workplace control parameters (NZ)

No substance specific occupational exposure limits known.

8.2 Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Form:	liquid
Colour:	yellow to brown
Odour:	faint odour, nutty
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 7 – 9 (measured with the undiluted substance, 21 °C)
Melting point:	approx. 0 °C (information applies to the solvent)
Boiling point:	approx. 100 °C (information applies to the solvent)
Flash point:	No flash point - Measurement made up to the boiling point.
Evaporation rate:	not applicable
Flammability:	not highly flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

BASF Safety Data Sheet
Date / Revised: 13.04.2021
Product: **STOMP® XTRA**

(ID no. 30140999/SDS_CPA_NZ/EN; Version 6.0)

Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	354 °C (DIN EN 14522)
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. 235 °C, 900 kJ/kg (DSC (OECD 113)) (onset temperature)
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating
Vapour pressure:	approx. 23 hPa (20 °C; information applies to the solvent)
Density:	approx. 1.18 g/cm ³ (20 °C)
Relative vapour density (air):	not determined
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log K _{ow}):	not applicable
Viscosity, dynamic:	128 mPa.s (20 °C, 100 1/s) (OECD 114)

9.2 Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3 Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4 Conditions to avoid

See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Substances to avoid:

Strong acids, strong bases, strong oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 5.23 mg/l 4 h (OECD Guideline 403)
No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Skin contact causes slight irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) guinea pig: sensitizing (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO)

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counterpart. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment of repeated dose toxicity:

No substance-specific organ toxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components. No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 20,36 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 1,49 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC50 (7 d) 19,25 mg/l (growth rate), *Lemna gibba* (OECD guideline 221)

No observed effect concentration (7 d) 1,0 mg/l (growth rate), *Lemna gibba* (OECD guideline 221)

Information on: pendimethalin

Chronic toxicity to fish:

No observed effect concentration (179 d) 0.02 mg/l, Brachydanio rerio (semistatic)

No observed effect concentration (288 d) 0.006 mg/l, Pimephales promelas

Information on: pendimethalin

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.0145 mg/l, Daphnia magna

Mobility in soil (and other compartments if available)

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO)

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Bioaccumulation potential:

Bioconcentration factor: 3,300

Based on a weight of evidence, the compound will not bioaccumulate.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

BASF Safety Data Sheet
Date / Revised: 13.04.2021
Product: **STOMP® XTRA**

(ID no. 30140999/SDS_CPA_NZ/EN; Version 6.0)

13. Disposal Considerations

Container:

Ensure container is completely empty. Triple rinse container and add rinsate to the spray tank. Recycle the rinsed container through Agrecovery (0800 247 326, www.agrecovery.co.nz).

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Product:

Dispose of this product only by using according to the label or at an approved landfill or at an approved facility. DO NOT burn product. DO NOT contaminate water with product or used container.

14. Transport Information

Commercial transport:

Classified as Dangerous Goods for Land/rail (ADR/RID), sea (IMDG/GGVSee) and air transport (ICAO/IATA):

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Marine pollutant:	YES
HAZCHEM:	2[Z]

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

15. Regulatory Information

To avoid risks to man and the environment, comply with the instructions for use.

Approved pursuant to the HSNO Act 1996, Code HSR000547.
See www.epa.govt.nz for approval conditions.

Registered pursuant to the ACVM Act 1997, Nos. P005921.
See www.foodsafety.govt.nz/acvm for registration conditions.

Qualification required: any person mixing, loading, or handling this product must be a qualified person. Refer to the product label for handling precautions and directions for use.

Certified Handler: not required.

Tracking: not required.

Record keeping: records of use must be kept if more than 3 L is applied within 24 hours.

15.2 Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

16. Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the products properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

| Vertical lines in the left hand margin indicate an amendment from the previous version.