Buster® Herbicide

Knock down the toughest weeds with extra crop safety

Rapid and robust knockdown control of a wide range of grass and broadleaf weeds

- A powerful broad-spectrum alternative to glyphosate which controls over 80 troublesome weeds
- Fast-acting: visible impact within 3 days, knockdown in 7–10 days
- Superior performance on some weeds glyphosate won't adequately control, such as clover, willow herb, mallows and storksbill
- Broad use pattern across a range of non-crop situations

For more information on Buster[®] Herbicide, visit **crop-solutions.basf.co.nz** or contact your local BASF representative on **0800 558 399**





Buster[®] provides rapid and robust knockdown control of a wide range of grass and broadleaf weeds. It is fast acting with a visible impact within 3 days, knockdown in 7–10 days and superior performance on some weeds glyphosate won't adequately control, such as clover, willow herb, mallows and storksbill.

Despite the absence of visual symptoms, the treated plants stop growing within the first day after application of Buster. A non-selective knockdown herbicide with a well-deserved reputation for versatility, effectiveness and a high level of non-target plant safety, Buster is a partially systemic herbicide which is labelled for the control of over 80 of the toughest weeds.

B. COMMERCIAL, INDUSTRIAL, NON-AGRICULTURAL AREAS, FENCELINES IN AGRICULTURAL AREAS and FORESTRY PLANTATIONS

Crop/Situation	Rate	Remarks
Non-crop land. General weed control.	7.5-10 litres/ha in 300-500 litres of water, or 100 ml/10 litre knapsack.	Apply in a drenching spray to the point of run-off. May be mixed with residual herbicides for long-term weed control.

Refer to the product label for full directions for use table.

Packaging Available in 5L and 20L



For more information on Buster[®] Herbicide, visit **crop-solutions.basf.co.nz** or contact your local BASF representative on **0800 558 399**

ALWAYS READ AND FOLLOW LABEL DIRECTIONS BEFORE USING ANY PRODUCT IN THIS FACT SHEET.

This fact sheet is intended as general advice. Disclaimer: The information submitted in this publication is based on current BASF knowledge and experience. In view of the many factors that may affect its application, this data does not relieve the user from carrying out their own tests. The data does not imply assurance of certain properties or of suitability for a specific purpose. It is the responsibility of the user to ensure that any proprietary rights and existing laws and legislation are observed.